Specifications for Epson EB 935W



PRODUCT NAME	Epson EB-935W	
PRODUCT CODE	V11H565053	
WHAT'S IN THE BOX		
	EB-935W projector, 1.8m power cable, 1.8m VGA cable, remote	
	control, batteries x 2, projector software Ver. 1.00b (CD ROM),	
	Manual	
TECHNOLOGY		
Projection System	Epson 3LCD, 3-chip technology	
LCD Panel	0.59-inch with MLA(D8)	
OPTICAL		
Zoom	1 - 1.6 (Optical)	
Screen Size	29" to 280" [0.84 to 8.4 m] (Zoom:Wide)	
	29" to 280" [1.36 to 13.9 m] (Zoom:Tele)	
Projection Distance	60" screen 1.79 - 2.92 m	
Throw Ratio	1.38 (Zoom:Wide), 2.24 (Zoom:Tele)	
Projection Lens F Number	1.51-1.99	
Projection Lens Focal Length	18.2mm-29.2mm	
Focus Method	Manual Focus	
Offset	10:0	
IMAGE		
Colour Light Output	3,700 Lumens	
White Light Output	3,700 Lumens	
Resolution	WXGA	
Native Aspect Ratio	16:10	
Contrast Ratio	2,000:1	
Lamp Hours	Normal/Eco: 3,000/4,000 Hours	
Lamp Type	275 W UHE (E-TORL)	

Keystone Correction	Vertical: -30 to +30 degrees		
	Horizontal: -30 to +30 degrees		
Colour Reproduction	Up to 1.07 billion colours		
Colour Processing	10 bit		
CONNECTIVITY			
Input: Video	1 x RCA (Yellow), 1 x S-Video, 2 x Component (via D-sub	П	
	15-pin)		
Input: Computer	2 x D-sub 15-Pin (RGB), 1 x USB 2.0 type B		
Input: USB Memory Device	USB Type A Ver.2.0		
Input: Three-In-One USB	1 x USB 2.0 type B		
Display			
Input: Digital	1 x HDMI		
Input: Audio	1 x RCA (Red/White), 2 x Stereo mini jack		
Input: Control	1 x USB 2.0 type B, RS232C		
Input: Epson USB Document	1 x USB 2.0 type B		
Camera			
Network I/O:	1 x RJ45 (100Mbps)		
Wireless Connectivity	Optional Accessory (ELP-AP07)		
Output: Video	1 x D-sub 15 pin (black moulding)		
Output: Audio	1 x Stereo mini jack		
Speaker Output	16W		
ADVANCED FEATURES			
EasyMP Network & Control	Yes		
EasyMP Network Projection	Yes		
PC Free Presentations	_		
USB Plug 'n Play	Yes		
AV Mute Slide	No		
Quick Corner	Yes		
Instant Off	Yes		
Direct Power On/Off	Yes		
Security	Kensington [®] -style lock provision		
	Padlock		
	Security cable hole		
	Password protect function		
Colour Modes	Dynamic, Presentation, Theatre, Photo, sRGB, Blackboard,		
	Whiteboard		
GENERAL			
Dimensions D x W x H	263 x 345 x 93 mm		
Weight	3.4kg		
Lamp Warranty	1 Year or 750 hours (whichever comes first)		
Projector Warranty	3 Years		
Power Consumption: Lamp	Normal/Eco: 381/313W		
on			
Power Consumption:	0.35W (communication off)		
Standby			

Noise Level	Normal/Eco: 39/35dB			
* Whichever comes first. For more information visit Epson Projector Warranty				
PRODUCT OPTIONS	Item Code	Description		
	V13H010L64	Lamp – ELPLP64		
	V13H134A29	Air Filter – ELPAF29		
	V12H418P13	Wireless Adapter – ELPAP07		
	V12H005M08	Quick Wireless Key – ELPAP08		
	V12H003B23	Ceiling Mount – MB23		
	V12H003P13	Extension Pole 668-918mm		
	V12H003P14	Extension Pole 918-1,168mm		
	V12H002S2Y	Floor Standing Tripod Screen		
	V12H321003	ELP-DC06 Visualiser		
	V12H377053	ELP-DC11 Visualiser		
	V12H500053	ELP-DC20 Visualiser		

Epson is the registered trademark of Seiko Epson Corporation. Epson ESC/P2 and Epson Stylus are trademarks of Seiko Epson Corporation. MicroDot is a trademark of Epson Australia Pty Limited. All other product names and other company names used herein are for identification purposes only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Specifications are subject to change without notice.

Equipment supplied by Epson Australia is designed to function in conjunction with genuine Epson consumables and accessories specifically configured for it.

Usage Conditions

Epson products are designed and made to give highly reliable use and long life when used according to its specifications. With any system, product or device used in situations where human life may be involved or at risk, Epson advises that you should take all necessary steps to ensure the suitability of your Epson product for inclusion in your system, and recommends that you include fail-safe procedures and redundancy support or backup equipment in your system, to maintain the maximum safety margin and optimum system reliability. Examples include but are not limited to – do not interfere with any electrical components within the device, do not use items supplied with the product for purposes other than as intended by Epson (ie mains cords, inks, CDs, plastic wrapping) and do not make modifications to the product.



• Address: Office No. D-4, Ambika Darshan Building, Chittabhai Patel Road, Behind Sapan Nikhil Classes, Ahead of Kandivali Bus Depot, Kandivali (E), Mumbai-400101.

• Phone No: +022-28460505 (50 lines)

• Email: itsolutions@varay.co.in